

## Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

X660

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24. Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishn	4 XY		on or each monación is specifica in the narrange por non or t				
I				Telephone Number	Date of Inspection ID # (mm/dd/yr)		
Upto	WA A	r T	ımber and street, city, state, zip code)	(706) (3567 - 387)	1/27/11/19 18-285		
42/a \$	3	:58 (11) ' <b>]</b>			1/27/2019 18-283		
Owner	<i>&gt;</i> ~~ >	<u>† ·                                     </u>	(JOHE 1) NEW MIGHT, IN TIESD	Purposa	Fallow up Dologgo Data		
UAIN	VA L	4			^		
Owner's A		2. Follow-up 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list)  Summary of Violations;  Menu Type (See back of page)  1 2 3 4 5  SEPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"  C R Narrative  To Be Corrected By					
				Purpose:    Routine   Follow-up   Release Date			
Person in (					( N va z ~ ?		
Erin	Rober	ŧs –			C_Q NC_3 R		
Responsibl	e Person's	F-ma	ail		Menu Typc (See back of page)		
Certified F	ood Hand	ler		7. Other (list)	12\( \( \)_345		
-					<u> </u>		
• CRITICAI	L ITEMS A	RE ID	ENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS	MARKED "C"			
• VIOLATIO	ON(S) REPI	(ATE)	FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "S	UMMARY OF VIOLATIONS" A	ND IN THE NARRATIVE BELOW AS "R"		
Section#					To Be Corrected By		
411	NC	R	R Observed (2) lights out in BOH / week				
430	NC	R	Observed hole in FOH william (club at)   week				
410	MC		Observed light shield be have	4 E16 1 A	halas I seek		
•	, ,		os - right stocks to pave te	enty two me	Trainer / Willer		
		<del> -</del> -					
	1						
	 			···			
				· · · · · · · · · · · · · · · · · · ·			
		-					
	<u>.                                    </u>	ļ <u>.</u>					
				<del></del>			
Received by	(name and	title	ninted 19	Inspected by (name and title p	printed):		
+	VIV	, 1	40herts	A.)	Ingram (EHS)		
Received by	(signature)	): (	1 10	Inspected by (signature):			
4	$\sqrt{}$	K	about >	as			
cc;			ec:		ce:		

232222111	THI WILCONG	unty Health Department Inspection Not	Hat women to the
	, , , , , , , , , , , , , , , , , , ,		
			<del></del>
	mt.		
"		hade in willing of shocks a	11
77.			<u> </u>
		lights out	2),
	<del></del>	broken light shield	<u>'</u>
		broken light shield	
			·
-			
			<del></del>
			<u> </u>
			<del></del>
			<del></del> -
			<del></del>
<del></del>			<del></del>
			<del></del>
			,